SIEMENS

Data sheet 5SD7418-3



plug connector T1/T2, L-N, rated voltage Un 240 V AC Uc 335 V AC, IIMP 12.5 kA, only for 5SD7413-2 (3) and 5SD7414-2 -3

Model	
product brand name	SENTRON
product designation	Plug-in part T1/T2
General technical data	
SPD classification according to EN 61643-11 Test Class II, Type 2	Yes
SPD classification according to EN 61643-11 Test Class I, Type 1	Yes
suitability for use	5SD7412-2,5SD7412-3,5SD7413-2,5SD7413-3,5SD7414-2,5SD7414-3
Accessories	
accessories	plug connector T1/T2, only for 5SD7413-2 (3) and 5SD7414-2 (3)
Mechanical Design	
Net Weight	122 g
Approvals Certificates	

Environment		General Product Approval			
Environmental Confirmations	Environmental Confirmations	EAC	KEMA KEUR KEMA	Confirmation	CE EG-Konf.

General Product Approval	other	
UKCA	产品合格 QC PASS	Confirmation

Further information

Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875
Information for data generation and storage
https://support.industry.siemens.com/cs/ww/en/view/109995012
Information- and Downloadcenter (Catalogs, Brochures,…)
https://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5SD7418-3
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/5SD7418-3
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5SD7418-3
CAx-Online-Generator

Subject to change without notice
© Copyright Siemens


https://www.siemens.com/cax

Tender specifications

https://www.siemens.com/specifications

Kennlinien

https://curves.simaris.siemens.com/curves/5SD7418-3



last modified: 5/26/2025

Subject to change without notice
© Copyright Siemens

Subject to change without notice
© Copyright Siemens