SIEMENS

Data sheet

6GK1905-0EB10-6AA0

product type designation

product description



PB FC M12 Cable Connector PRO

M12 connector with socket insert, 5-pole, B-coded

PROFIBUS FC M12 Cable connector PRO, M12 plug-in connector with rugged metal enclosure and FC connection system, with axial cable outlet, for use with ET 200 PRO, female contact insert (B-coded) 1 pack = 1 unit.

suitability for use	For connecting electrical PB FC bus cables to ET200 PRO, suitable for fast assembly with the FastConnect system	
transfer rate		
transfer rate / with PROFIBUS	9.6 kbit/s 12 Mbit/s	
interfaces		
number of electrical connections		
• for PROFIBUS cables	1	
 for network components or terminal equipment 	1	
type of electrical connection		
• for PROFIBUS cables	Integrated insulation displacement terminals for 2-core PB FC installation cables	
for network components or terminal equipment	M12 connector (female insert, 5-pin, B-coded)	
type of electrical connection / FastConnect	Yes	
mechanical data		
material / of the enclosure	metal	
number of reuses	10	
locking mechanism design	Screwed joint	
tightening torque / for M12 round connector / maximum	0.6 N·m	
connector coding / of the M12 circular connector	В	
design, dimensions and weights		
type of cable outlet	180° cable outlet	
width	19 mm	
height	19 mm	
depth	73 mm	
net weight	40 g	
connectable cable cross-section	6 8 mm	
connectable conductor cross-section	0.33 mm²	
ambient conditions		
ambient temperature		
 during operation 	-40 +85 °C	
 during storage 	-40 +85 °C	
during transport	-40 +85 °C	
chemical resistance		
• to water	resistant	
protection class IP	IP65/67	
product features, product functions, product components / general		
product feature		
• silicon-free	Yes	

product component	
strain relief	Yes
standards, specifications, approvals	
certificate of suitability	
 RoHS conformity 	Yes
UL approval	Yes
 cULus approval 	Yes
 railway application in accordance with EN 50155 	No
reference code	
 according to IEC 81346-2:2019 	XGA
standards, specifications, approvals / Environmental Produ	ct Declaration
Environmental Product Declaration	Vac

0.03 kg

Environmental Product Declaration	Yes
global warming potential [CO2 eq]	
• total	0.32 kg
 during manufacturing 	0.28 kg
during operation	0.01 kg

• after end of life

internet link

• to website: Selection guide for cables and connectors • to web page: selection aid TIA Selection Tool • to website: Industrial communication

• to web page: SiePortal • to website: Image database • to website: CAx-Download-Manager

• to website: Industry Online Support

https://support.industry.siemens.com/cs/ww/en/view/109766358

https://www.siemens.com/tstcloud

https://www.siemens.com/simatic-net https://sieportal.siemens.com

https://www.automation.siemens.com/bilddb

https://www.siemens.com/cax

https://support.industry.siemens.com

security information

security information

Siemens provides products and solutions with industrial cybersecurity functions that support the secure operation of plants, systems, machines and networks. In order to protect plants, systems, machines and networks against cyber threats, it is necessary to implement – and continuously maintain – a holistic, state-of-the-art industrial cybersecurity concept. Siemens' products and solutions constitute one element of such a concept. Customers are responsible for preventing unauthorized access to their plants, systems, machines and networks. Such systems, machines and components should only be connected to an enterprise network or the internet if and to the extent such a connection is necessary and only when appropriate security measures (e.g. firewalls and/or network segmentation) are in place. For additional information on industrial cybersecurity measures that may be implemented, please visit www.siemens.com/cybersecurity-industry. Siemens' products and solutions undergo continuous development to make them more secure. Siemens strongly recommends that product updates are applied as soon as they are available and that the latest product versions are used. Use of product versions that are no longer supported, and failure to apply the latest updates may increase customer's exposure to cyber threats. To stay informed about product updates, subscribe to the Siemens Industrial Cybersecurity RSS Feed under https://www.siemens.com/cert. (V4.7)

Approvals / Certificates

General Product Approval

Environment





China RoHS



last modified:

3/26/2025